	Application No.	Applicant(s)
Notice of Allowability	10/045,042	SCHLEMMER ET AL.
	Examiner	Art Unit
	Dana Ross	3722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to Interview 1 December 2004.		
2. The allowed claim(s) is/are <u>1-39</u> .		
3. 🔀 The drawings filed on 15 January 2002 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	·	
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB)	6. ⊠ Interview Summar Paper No./Mail Da	ate
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	•	nent of Reasons for Allowance

Application/Control Number: 10/045,042

Art Unit: 3722

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Mueller on 1 December 2004.

The application has been amended as follows:

In the claims:

Claim 40 is cancelled.

## Allowable Subject Matter

- 2. Claims 1-39 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: The prior art of record neither anticipates nor renders obvious a cutting tool (independent claim 1) or indexable tip for a cutting tool (independent claim 18) as claimed, specifically wherein "a thickness of said indexable tip from said support surface to upper extents of said acute corner angles opposite said support surface is greater than a thickness of said indexable tip from said support surface to upper extents of said obtuse corner angles opposite said support surface" (claim 1) or wherein "a vertical distance from said supporting area to said cutting edges located at said obtuse-angled corners is less than a vertical distance from said supporting area to said cutting edges located at said acute-angled corners" (claim 18).

Application/Control Number: 10/045,042

Art Unit: 3722

The closest prior art of record is WO 98/51438 (US Pat. No. 6,224,300, Baxivanelis et al.) which is discussed in detail in the previous office actions.

Baxivanelis teaches the obtuse corner as claimed, but does not disclose wherein "a thickness of said indexable tip from said support surface to upper extents of said acute corner angles opposite said support surface is greater than a thickness of said indexable tip from said support surface to upper extents of said obtuse corner angles opposite said support surface" (claim 1) or wherein "a vertical distance from said supporting area to said cutting edges located at said obtuse-angled corners is less than a vertical distance from said supporting area to said cutting edges located at said acute-angled corners" (claim 18).

Therefore Baxivanelis does not anticipate the claimed invention of independent claims 1 or 18.

Furthermore, there is no prior art of record, either alone or in combination with Baxivanelis, that teaches the obtuse corner as claimed, and no motivation found to modify Baxivanelis to obtain the claimed invention of independent claims 1 or 18.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3722

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dana Ross whose telephone number is 571-272-4480. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrea Wellington can be reached on 571-272-4483. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

dmr

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700